NEUROBEHAVIORAL TOXICOLOGY AND TERATOLOGY

VOLUME 4 1982

SUBJECT INDEX

Abdominal ventral nerve, cockroach, 605
  axonal transmission
  central nervous system
  cockroach
  mannitol-gap technique
  neurotoxicity assessment
  synaptic transmission
Acetic acid, 105
  activity
  body weight
  lead acetate
Acetylcholine, 251
  hemidiaphragm
  neuromuscular junction
  neurotoxicity
  phrenic nerve
  trimethyltin
Acetylcholinesterase inhibition, 789
  hens
  malathion
  neuropathy
  triothotolyl phosphate
l-α-Acetylmethadol (LAAM), 557
  behavioral teratogenicity
  functional teratogenicity
  prenatal exposure
Acrylamide
  acute administration, 497
  d-amphetamine, 355
  cerebral hemispheres, 617
  conditioned taste aversion, 497
  hindlimb splay, 355
  lithium chloride, 497
  locomotor activity, 355
  neurotoxicology, 617
  operant behavior, 355
  schedule-controlled behavior, 355
  tissue culture, 617
Active avoidance
  behavioral anomalies, 531
  cyclophosphamide, 531
  learned tolerance, 335
  mutagenesis, 531
  organophosphate cholinesterase inhibitors, 335
  paraoxon, 335
  paternal drug exposure, 531
  tolerance, 335
Activity
  acetic acid, 105
  behavior, 371
  body weight, 105
  development, 371
  lead acetate, 105
  methyl mercury, 371
  neonate, rat, 371
Acute administration, 497
  acrylamide
  conditioned taste aversion
  lithium chloride
Acute prenatal alcohol, 15
  C3H mice
  fetal body weight
  in utero studies
Adenosine triphosphatase inhibition, 805
  chlorinated hydrocarbons
  insecticide neurotoxicity
Adjunctive behavior, 231
  operant behavior
  scheduled reinforcement
  triethyltin
α-Adrenergic receptors, 273
  anticonvulsant effects
  behavioral toxicology
  bicuculline
  GABA receptors
  haloperidol
  maximal electroshock seizure test
  metergoline
  picrotoxin
  propranolol
  reserpine
  seizures
  triethyltin
  yohimbine
Afterdischarge
  kindling, amygdaloid, 203
  kindling, hippocampal, 203
  pentylenetetrazol, 203
  seizures, 203
  triethyltin, 259
  trimethyltin, 203
  visual evoked potential, 259
  visual evoked response, 259
  visual system toxicity, 259
Age differences, 709
  auditory evoked potentials
  carbon monoxide
  human studies
  memory
  sleep
Alcohol teratogenesis, 593
  definition and etiology
  fetal alcohol syndrome
Ambient temperature, 267
  core temperature
  hypothermia
  triethyltin
  visual evoked potential
  visual evoked response
  visual system toxicity
d-Amphetamine
  acrylamide, 355
  behavioral teratology, 63
  escape learning, 63
  hindlimb splay, 355
  locomotor activity, 63, 355

operant behavior, 355
pharmacological challenge, 63
prenatal drugs, 63
schedule-controlled behavior, 355
sex differences, 63
Y-maze performance, 63
Analgesia, 455
methadone
perinatal exposure
Animal models
behavioral toxicology, 9
cell cultures, 655
Hebb-Williams maze, 169
hippocampal damage, 169
hyperactivity, 9
lead, 9
manganese, 655
maze performance, 169
minimal brain dysfunction (MBD), 169
neurotoxicology, 655
perseveration, 169
thiol content, 655
tissue homogenates, 655
trimethyltin, 169
Animal offspring, 429
children
heroin
methadone
pregnancy
Anorexia, 643
antidote preference
body weight
dimercaptosuccinic acid
methylmercury intoxication
Anticholinesterases, 93
behavioral toxicity
conditioned flavor aversion
physostigmine
Anticonvulsant effects, 273
α-adrenergic receptors
behavioral toxicology
bicuculline
GABA receptors
haloperidol
maximal electroshock seizure test
metergoline
picrotoxin
propranolol
reserpine
seizures
triethyltin
yohimbine
Antidote preference, 643
anorexia
body weight
dimercaptosuccinic acid
methylmercury intoxication
Apomorphine, 535
climbing behavior
dopamine receptors
neonatal exposure
phenobarbital
striatum
Artificial food dyes, 43
central nervous system
development
hyperactivity
sulfanilic acid
Tartrazine
Attention
auditory-language function, 729
children, 729
classroom behavior, 729
dentine concentrations, 729
infants, monkey, 469
IQ, 729
lead, 729
low level exposure, 729
marijuana, 469
prenatal exposure, 469
psychoactive drugs, 469
Δ^9-tetrahydrocannabinol, 469
Auditory evoked potentials, 709
age differences
carbon monoxide
human studies
memory
sleep
Auditory evoked response, 79
brainstem
compound action potential
hexane
inhalants
neurobehavioral toxicology
solvent abuse
ventral caudal nerve
Auditory-language function, 729
attention
children
classroom behavior
dentine concentrations
IQ
lead
low level exposure
Avoidance, 241
behavioral toxicity
organometallic polymer
tributyltin
Avoidance conditioning, 545
cigarette smoke
nicotine
pregnant rats
prenatal exposure, rats
Axonal transmission, 605
abdominal ventral nerve, cockroach
central nervous system
cockroach
mannitol-gap technique
neurotoxicity assessment
synaptic transmission

Bayley Infant Behavior Record, 473
Bayley Scales of Infant Development
Brazelton Neonatal Behavioral Assessment Scale
human studies
methadone
motor function
multidimensional analysis
neonatal behavior
Bayley Scales of Infant Development, 473
Bayley Infant Behavior Record
Brazelton Neonatal Behavioral Assessment Scale
human studies
methadone
motor function
multidimensional analysis
neonatal behavior
Behavior
activity, 371
cadmium, 283
conditioned avoidance, 247
development, 371, 377
discrimination learning, 283
dose-effect, 283
locomotor activity, 247, 283
methyl mercury, 371, 377
neonate, rat, 371
organotin, 247
postnatal exposure, 283

prenatal exposure, 247, 377
psychotropics, 247, 377
rat pups, 247
sensitivity, 247, 377
Behavioral anomalies, 531
active avoidance
cyclophosphamide
mutagenesis
paternal drug exposure
Behavioral effects, 703
long-term exposure
organic solvents
paint industry
psychological tests
reaction time
Behavioral teratogenicity, 557
l-α-acetylmethadol
functional teratogenicity
prenatal exposure
Behavioral teratology
d-amphetamine, 63
caffeine, 21
detour performance, 323
developmental toxicity, 299
distress calls, 299
domestic fowl, 323
drug interaction, 387
early exposure, 323
escape learning, 63
ethanol, 387
2-ethoxyethanol, 387
fetal alcohol effects, 387
home orientation, 21
hypervitaminosis A, 299
industrial solvents, 387
locomotor activity, 63
neonatal rat, 21
neuromotor deficits, 387
nipple attachment, 21
l-α-noracetylmethadol, 323
open field, 323
opiates, 323
pharmacological challenge, 63
prenatal drugs, 63
sex differences, 63
suckling behavior, 21
theophylline, 21
ultrasonic vocalizations, 299
Y-maze performance, 63
Behavioral toxicity
anticholinesterases, 93
avoidance, 241
cholinergic neuropharmacology, 689
conditioned flavor aversion, 93
lead, 689
muscarinic cholinergic receptor binding, 689
neonatal exposure, 689
neurotoxicity, 689
organometallic polymer, 241
physostigmine, 93
tributyltin, 241
visual acuity, 689
Behavioral toxicology
α-adrenergic receptors, 273
animal models, 9
anticonvulsant effects, 273
bicuculline, 273
body weight, 217
development, 311
drinking, 217
eating, 217
GABA receptors, 273
haloperidol, 273
hippocampal damage, 135
hyperactivity, 9, 135
lead, 9, 311
lead acetate, 311
learning, 185, 311, 539
maze performance, 135
memory, 185
metergoline, 273
methyl mercury, 683
neonatal exposure, 185
operant behavior, 683
organotins, 539
picrotoxin, 273
pigeon, 683
propranolol, 273
radial-arm maze performance, 185
reserpine, 273
schedule-controlled behavior, 157
seizures, 273
spontaneous motor activity, 157
triethyltin, 157, 217, 273
triethyltin sulfate, 185
trimethyltin, 157
trimethyltin chloride, 135
trimethyltin hydroxide, 185
yohimbine, 273
Bicuculline, 273
α-adrenergic receptors
anticonvulsant effects
behavioral toxicology
GABA receptors
haloperidol
maximal electroshock seizure test
metergoline
picrotoxin
propranolol
reserpine
seizures
triethyltin
yohimbine
Biochemical measures, 739
children
environmental exposure
lead
neurological effects
psychometric function
scholastic performance
Birth weight, 289
eye-opening
gripping
prednisolone
prenatal exposure
walking
weaning weight
Blood platelets, 647
brain synaptosomes
heavy metals
monoamine release
monoamine uptake
Body weight
acetic acid, 105
activity, 105
anorexia, 643
antidote preference, 643
behavioral toxicology, 217
dimercaptosuccinic acid, 643
drinking, 217
eating, 217
lactation, 495
lead acetate, 105
maternal ethanol, 495
methylmercury intoxication, 643
pregnancy, rats, 495
triethyltin, 217
Brain
Ammon's horn, 149
amygdala, 203, 347

amygdaloid nucleus, 149
brainstem, 79, 149
cerebellum, 109, 573
cerebral hemispheres, 617
dorsal hippocampus, 203
fascia dentata, 149
hippocampus, 127, 135, 141, 149, 169, 177, 259, 573, 659
lateral geniculate nucleus, 689
limbic system, 177
neocortex, 149
optic tract, 191
phrenic nerve, 251
pituitary, 515
pyramidal cells, 141
pyriform cortex, 149
regio inferior pyramidal cells, 127
striatum, 535, 573
superior colliculus, 689
visual cortex, 191, 689
Brain blood flow, 801
cismethrin
deltamethrin
electroencephalogram
glucose utilization
hyperglycemia
pyrethroid insecticides
Brain neurochemistry, 635
lead
porphyrin synthesis
Brainstem, 79
auditory evoked response
compound action potential
hexane
inhalants
neurobehavioral toxicology
solvent abuse
ventral caudal nerve
Brain synaptosomes, 647
blood platelets
heavy metals
monoamine release
monoamine uptake
Brazelton Neonatal Behavioral Assessment Scale, 473
Bayley Infant Behavior Record
Bayley Scales of Infant Development
human studies
methadone
motor function
multidimensional analysis
neonatal behavior
Brazelton Neonatal Behavioral Assessment Scale/Kansas Suppl., 459
methadone
motor function
multidimensional analysis
neonatal behavior
neonatal narcotics abstinence syndrome
state function
Brightness discrimination, 365
emotionality
guinea pigs
nicotine
prenatal exposure
response to novelty
spontaneous alternation

Cadmium, 283
behavior
discrimination learning
dose-effect
locomotor activity
postnatal exposure
Caffeine
behavioral teratology, 21
fetal effects, 421
home orientation, 21
maternal drug use, 421
neonatal rat, 21
nicotine, 421
nipple attachment, 21
suckling behavior, 21
theophylline, 21
Caffeine sensitivity, 331
locomotor activity
neonatal rat
Carbon monoxide
age differences, 709
auditory evoked potentials, 709
human studies, 709
memory, 709
multiple schedules, 51
operant behavior, 51
schedules of reinforcement, 51
sleep, 709
Carbamate pesticides, 779
cholinesterase inhibition
neurotoxicity
Cell cultures, 655
animal cultures
manganese
neurotoxicology
thiol content
tissue homogenates
Cell surface receptor protein, 435
Central nervous system
abdominal ventral nerve, cockroach, 605
artificial food dyes, 43
axonal transmission, 605
children, 733
chlorinated hydrocarbons, 813
cockroach, 605
development, 43
dieldrin, 813
hyperactivity, 43
insecticide neurotoxicity, 813
lead exposure, 733
lindane, 813
mannitol-gap technique, 605
mode of action, 813
neurotoxicity, 733
neurotoxicity assessment, 605
organophosphate pesticides, 665
peripheral nervous system, 665
slow cortical potentials, 733
sulfanilic acid, 43
synaptic transmission, 605
Tartrazine, 43
Central nervous system, adult human, 725
follow-up studies
lead exposure
neurophysiological tests
psychodiagnostic tests
Cerebellum, 109
cGMP levels
deltamethrin
motor syndrome
pyrethroid insecticide
Cerebral hemispheres, 617
acrylamide
neurotoxicology
tissue culture
C3H mice, 15
acute prenatal alcohol
fetal body weight
in utero studies
Child development, 483
facet theory
multidimensional analysis
toxins

Children
animal offspring, 429
attention, 729
auditory-language function, 729
biochemical measures, 739
central nervous system, 733
classroom behavior, 729
dentine concentrations, 729
environmental exposure, 739
heroin, 429
IQ, 729
lead, 729, 739
lead exposure, 733
low level exposure, 729
marijuana, 451
methadone, 429
neurobehavioral teratology, 451
neurological effects, 739
neurotoxicity, 733
pregnancy, 429, 451
psychometric function, 739
scholastic performance, 739
slow cortical potentials, 733
Chlordiazepoxide, 279
perinatal exposure
postweaning behavior, rats
preweaning behavior, rats
Chlorinated hydrocarbons
adenosine triphosphatase inhibition, 805
central nervous system, 813
dieldrin, 813
insecticide neurotoxicity, 805, 813
lindane, 813
mode of action, 813
Chloroform, 305
drinking
taste aversion
trichloromethane
Cholesterol, 315
DNA
ethanol
microcephaly
neonate, rat
protein
tertiary butanol, 315
Cholinergic neuropharmacology, 689
behavioral toxicity
lead
muscarinic cholinergic receptor binding
neonatal exposure
neurotoxicity
visual acuity
Cholinesterase inhibition, 779
carbamate pesticides
neurotoxicity
Cholinesterase levels, 665
central nervous system
organophosphate pesticides
peripheral nervous system
Chronic exposure, 717
mercury
neurotoxicity
Chronic maternal ethanol, 293
drug interactions
nicotine
offspring development
operant behavior
Cigarette smoke, 545
avoidance conditioning
nicotine
pregnant rats
prenatal exposure, rats
Cismethrin, 801
brain blood flow
deltamethrin
electroencephalogram
glucose utilization
hyperglycemia
pyrethroid insecticides
Classroom behavior, 729
attention
auditory-language function
children
dentine concentrations
IQ
lead
low level exposure
Climbing behavior, 535
apomorphine
dopamine receptors
neonatal exposure
phenobarbital
striatum
CNS sensitivity, 477
intragastric ethanol
postnatal effects
undernutrition
Cockroach, 605
abdominal ventral nerve, cockroach
axonal transmission
central nervous system
mannitol-gap technique
neurotoxicity assessment
synaptic transmission
Compound action potential, 79
auditory evoked response
brainstem
hexane
inhalants
neurobehavioral toxicology
solvent abuse
ventral caudal nerve
Conditioned avoidance
behavior, 247
grip strength, 71
hexane, 71
inhalants, 71
locomotor activity, 247
neurobehavioral toxicity, 71
organotin, 247
prenatal exposure, 247
rat pups, 247
scheduled exposure, 71
solvent abuse, 71
undifferentiated motor activity, 71
Conditioned flavor aversion, 93
anticholinesterases
behavioral toxicity
physostigmine
Conditioned taste aversion
acrylamide, 497
acute administration, 497
lithium chloride, 497
triethyltin, 225
trimethyltin, 225
Convulsions, 347
epilepsy
insecticides
kindling, amygdaloid
lindane
neurotoxicity
Core temperature, 267
ambient temperature
hypothermia
triethyltin
visual evoked potential
visual evoked response
visual system toxicity
Cyclophosphamide, 531
active avoidance

behavioral anomalies
mutagenesis
paternal drug exposure

Definition and etiology, 593
alcohol teratogenesis
fetal alcohol syndrome
Deltamethrin
brain blood flow, 801
cerebellum, 109
cismethrin, 801
electroencephalogram, 801
glucose utilization, 801
cGMP, 109
hyperglycemia, 801
motor syndrome, 109
pyrethroid insecticides, 109, 801
Dentine concentrations, 729
attention
auditory-language function
children
classroom behavior
IQ
lead
low level exposure
Detour performance, 323
behavioral teratology
domestic fowl
early exposure
l-α-noracetylmethadol
open field
opiates
Detoxification rates, 793
pyrethroid insecticides
species specificity
structural modifications
Development
activity, 371
artificial food dyes, 43
behavior, 371, 377
behavioral toxicology, 311
central nervous system, 43
hyperactivity, 43
lead acetate, 311
learning, 311
methyl mercury, 371, 377
neonate, rat, 371
prenatal exposure, 377
psychotropics, 377
sensitivity, 377
sulfanilic acid, 43
Tartrazine, 43
Developmental toxicity, 299
behavioral teratology
distress calls
hypervitaminosis A
ultrasonic vocalizations
Dieldrin
central nervous system, 813
chlorinated hydrocarbons, 813
insecticide neurotoxicity, 813
lindane, 813
locomotor activity, 403
mode of action, 813
parathyroid hormone, 403
shuttle-box avoidance, 403
Dimercaptosuccinic acid, 643
anorexia
antidote preference
body weight
metnylmercury intoxication
Discrimination learning
behavior, 283
behavioral teratology, 299
cadmium, 283
developmental toxicity, 299
dose-effect, 283
dying-back axonopathy, 567
2,5-hexanedione, 567
hypervitaminosis A, 299
locomotor activity, 283
neurobehavioral deficits, 567
postnatal exposure, 283
quantifying methods, 567
ultrasonic vocalizations, 299
DNA, 315
cholesterol
ethanol
microcephaly
neonate, rat
protein
tertiary butanol
Domestic fowl, 323
behavioral teratology
detour performance
early exposure
l-α-noracetylmethadol
open field
opiates
Dopamine receptors, 535
apomorphine
climbing behavior
neonatal exposure
phenobarbital
striatum
Dose-effect, 283
behavior
cadmium
discrmination learning
locomotor activity
postnatal exposure
Drinking
behavioral toxicology, 217
body weight, 217
chloroform, 305
eating, 217
taste aversion, 305
trichloromethane, 305
triethyltin, 217
Drug
acetic acid, 105
l-α-acetylmethadol (LAAM), 557
acrylamide, 355, 497, 617
alcohol, 15, 419, 593
aldrin, 813
allethrin, 753, 793
aluminum chloride, 403
p-amino-benzene sulfonic acid, 43
d-amphetamine, 355
d-amphetamine sulfate, 63
apomorphine, 535
bicuculline, 273
cadmium, 283, 651
caffeine, 21, 331, 421
carbamate, 779
carbaryl, 793
carbon monoxide, 51, 709
chlordiazepoxide, 279
chloroform, 305
cismethrin, 801
colchicine, 617
cyclophosphamide, 531
cypermethrin, 793
DDT, 793, 813
deltamethrin, 109, 793, 801
dieldrin, 793, 813
diethyltin, 209
dihydrofolic acid, 573
dimefox, 665

dimercaptosuccinic acid, 643
3,4-dimethyl-2,5-hexanedione, 629
dimethyltin, 209
dithiocarbamate, 779
ethanol, 33, 99, 115, 293, 315, 387, 395, 463, 477, 495, 501, 505, 515, 525
2-ethoxyethanol, 387, 395
haloperidol, 273
heroin, 429, 441
hexacarbon, 623
hexane, 71, 79
2,5-hexanedione, 87, 567, 629
kadethrin, 793
kainic acid, 573
lead, 635, 651, 689, 721, 725, 729, 739
lead acetate, 9, 105, 311
lindane, 347, 805, 813
lithium chloride, 497
malathion, 789
manganese chloride, 655
marijuana, 419, 447, 469
mercury, 717
metergoline, 273
methadone, 383, 419, 455, 459, 473
methyl bromide, 521
methyl-ethyl-ketone, 623
methyl mercury, 371, 377, 643, 683
N-5-methyltetrahydrofolic acid, 573
mirex, 805
monomethyltin trichloride, 539
monosodium glutamate, 549
nicotine, 293, 365, 421, 545
l-α-noracetylmethadol, 323
organotin, 659
paraoxon, 335
parathion, 793
pentylenetetrazol, 203
permethrin, 793
phenobarbital, 535
physostigmine, 93
picrotoxin, 273
prednisolone, 289
propranolol, 273
reserpine, 273
resmethrin, 793
sarin, 767
scopolamine, 689
sulfanilic acid, 43
sumithion, 665
Tartrazine, 43
tertiary butanol, 315
Δ^9-tetrahydrocannabinol, 469
tetrahydrofolic acid, 573
tetramethrin, 753, 793
thallium, 651
theophylline, 21
toluene, 695
tributyltin, 241
tri-n-butyltin, 209
trichloromethane, 305
trichlorohexyltin, 209
trichlorphon, 665
triethyl lead chloride, 671
triethyltin, 209, 217, 225, 231, 255, 259, 267, 273, 597
triethyltin sulfate, 185
trimethyltin, 157, 163, 169, 191, 197, 203, 209, 225, 251, 659
trimethyltin chloride, 127, 135, 141, 149, 177, 539
trimethyltin hydroxide, 185
triothotolyl phosphate, 789
triphenyltin, 209
triphenyltin acetate, 247
tri-n-propyltin, 209
vitamin A palmitate, 299
yohimbine, 273
zinc, 651

Drug interactions
  behavioral teratology, 387
  chronic maternal ethanol, 293
  ethanol, 387, 395
  2-ethoxyethanol, 387, 395
  fetal alcohol effects, 387
  industrial solvents, 387, 395
  neurochemical effects, 395
  neuromotor deficits, 387
  neurotransmitter levels, 395
  nicotine, 293
  offspring development, 293
  operant behavior, 293
  prenatal exposure, 395
Drugs and development, 419
  fetal alcohol syndrome
  hereditary mechanisms
  marijuana
  methadone
  neonatal narcotic addiction
  perinatal exposure
  prenatal exposure
Dying-back axonopathy, 567
  disease course
  2,5-hexanedione
  neurobehavioral deficits
  quantifying methods

Early exposure, 323
  behavioral teratology
  detour performance
  domestic exposure
  l-α-noracetylmethadol
  open field
  opiates
Eating, 217
  behavioral toxicology
  body weight
  drinking
  triethyltin
Electroencephalogram
  brain blood flow, 801
  cismethrin, 801
  deltamethrin, 801
  glucose utilization, 801
  human studies, 767
  hyperglycemia, 801
  organophosphate neurotoxicity, 767
  pyrethroid insecticides, 801
  rhesus monkeys, 767
  sarin, 767
Electron microscopy, 149
  hippocampus, mouse
  neuropathology
  trimethyltin chloride
Electrophysiology, 255
  intracellular recording
  miniature endplate potential
  neuromuscular neurotoxicity
  resting membrane potential
  soleus muscle, rat
  triethyltin
Emotionality, 365
  brightness discrimination
  guinea pigs
  nicotine
  prenatal exposure
  response to novelty
  spontaneous alternation
Environmental exposure, 739
  biochemical measures
  children
  lead
  neurological effects

psychometric function
scholastic performance
Epilepsy, 347
convulsions
insecticides
kindling, amygdaloid
lindane
neurotoxicity
Escape learning, 63
d-amphetamine
behavioral teratology
locomotor activity
pharmacological challenge
prenatal drugs
sex differences
Y-maze performance
Ethanol
behavuoral teratology, 387
cholesterol, 315
DNA, 315
drug interaction, 387, 395
2-ethoxyethanol, 387, 395
fetal alcohol effects, 387
industrial solvents, 387, 395
microcephaly, 115, 315
neonatal alcohol exposure, 115
neonate, rat, 115, 315
neurochemical effects, 395
neuromotor deficits, 387
neurotransmitter levels, 395
prenatal exposure, 395
protein, 315
tertiary butanol, 315
withdrawal, 115
Ethanol and brain amino acids, 33
ethanol and diet
GABA
glutamate
glutamine
integrated EEG
withdrawal
Ethanol and diet, 33
ethanol and brain amino acids
GABA
glutamate
glutamine
integrated EEG
withdrawal
2-Ethoxyethanol
behavioral teratology, 387
drug interaction, 387, 395
ethanol, 387, 395
fetal alcohol effects, 387
industrial solvents, 387, 395
neurochemical effects, 395
neuromotor deficits, 387
neurotransmitter levels, 395
prenatal exposure, 395
Exposure, critical periods, 99
fetal alcohol syndrome
learning
passive avoidance
prenatal alcohol
Eye-opening, 289
birth weight
gripping
prednisolone
prenatal exposure
walking
weaning weight

Facet theory, 483
child development
multidimensional analysis
toxins
Fetal alcohol effects, 387
behavioral teratology
drug interaction
ethanol
2-ethoxyethanol
industrial solvents
neuromotor deficits
Fetal alcohol syndrome
alcohol teratogenesis, 593
definition and etiology, 593
drugs and development, 419
gestation length, 501
hereditary mechanisms, 419
marijuana, 419
methadone, 419
neonatal narcotic addiction, 419
offspring mortality, 501
perinatal exposure, 419
prenatal ethanol, 501, 525
prenatal exposure, 419
Sidman avoidance, 525
unsignalled avoidance, 525
Fetal body weight, 15
acute prenatal alcohol
C3H mice
in utero studies
Fetal effects, 421
caffeine
maternal drug use
nicotine
Folic acid derivatives, 573
kainic acid
neurotoxicity
Follow-up studies, 725
central nervous system, adult human
lead exposure
neurophysiological tests
psychodiagnostic tests
Functional teratogenicity, 557
l-α-acetylmethadol
behavioral teratogenicity
prenatal exposure

GABA, 33
ethanol and brain amino acids
ethanol and diet
glutamate
glutamine
integrated EEG
withdrawal
GABA receptors, 273
α-adrenergic receptors
anticonvulsant effects
behavioral toxicology
bicuculline
haloperidol
maximal electroshock seizure test
metergoline
picrotoxin
propranolol
reserpine
seizures
triethyltin
yohimbine
Gene automodulation, 435
Gestation length, 501
fetal alcohol syndrome
offspring mortality
prenatal ethanol
Glial cells, 651
heavy metal intoxication
ultrastructure studies
vascular effects

Glucose utilization, 801
brain blood flow
cismethrin
deltamethrin
electroencephalogram
hyperglycemia
pyrethroid insecticides
Glutamate, 33
ethanol and brain amino acids
ethanol and diet
GABA
glutamine
integrated EEG
withdrawal
Glutamine, 33
ethanol and brain amino acids
ethanol and diet
GABA
glutamate
integrated EEG
withdrawal
cGMP levels, 109
cerebellum
deltamethrin
motor syndrome
pyrethroid insecticides
Grip strength, 71
conditioned avoidance
hexane
inhalants
neurobehavioral toxicity
scheduled exposure
solvent abuse
undifferentiated motor activity
Gripping, 289
birth weight
eye-opening
prednisolone
prenatal exposure
walking
weaning weight
Guinea pigs, 365
brightness discrmination
emotionality
nicotine
prenatal exposure
response to novelty
spontaneous alternation

Haloperidol, 273
α-adrenergic receptors
anticonvulsant effects
behavioral toxicology
bicuculline
GABA receptors
maximal electroshock seizure test
metergoline
picrotoxin
propranolol
reserpine
seizures
triethyltin
yohimbine
Heavy metals, 647
blood platelets
brain synaptosomes
monoamine release
monoamine uptake
Heavy metal intoxication, 651
glial cells
ultrastructure studies
vascular effects
Hebb-Williams maze, 169
animal models, MBD
hippocampal damage
maze performance
minimal brain dysfunction (MBD)
perseveration
trimethyltin
Hemidiaphragm, 251
acetylcholine
neuromuscular junction
neurotoxicity
phrenic nerve
trimethyltin
Hemoglobin level, 721
lead
occupational exposure
sensorimotor conduction
Hens, 789
acetylcholinesterase inhibition
malathion
neuropathy
triothotolyl phosphate
Hepatoxicity, 209
morphological changes
neurotoxicity
organotins
somatic changes
tissue tin levels
Hereditary mechanisms, 419
drugs and development
fetal alcohol syndrome
marijuana
methadone
neonatal narcotic addiction
perinatal exposure
prenatal exposure
Heroin
animal offspring, 429
children, 429
luteinizing hormone, 441
methadone, 429
pregnancy, 429
psycho-sexual development, 441
puberty, human male, 441
testosterone, 441
Hexacarbon, 623
human studies
methyl-ethyl-ketone
neurotoxicity
Hexane
auditory evoked response, 79
brainstem, 79
compound action potential, 79
conditioned avoidance, 71
grip strength, 71
2,5-hexanedione, 87
inhalants, 71, 79, 87
neurobehavioral toxicity, 71
neurobehavioral toxicology, 79
neuropathy, 87
scheduled exposure, 71, 87
solvent abuse, 71, 79, 87
undifferentiated motor activity, 71
ventral caudal nerve, 79
2,5-Hexanedione
disease course, 567
dying-back axonopathy, 567
hexane, 87
n-hexane neuropathy, 629
inhalants, 87
in vitro studies, 629
in vivo studies, 629
molecular pathogenesis, 629
neurobehavioral deficits, 567
neuropathy, 87
quantifying methods, 567
scheduled exposure, 87

solvent abuse, 87
n-Hexane neuropathy, 629
2,5-hexanedione
in vitro studies
in vivo studies
molecular pathogenesis
Hindlimb splay, 355
acrylamide
d-amphetamine
locomotor activity
operant behavior
schedule-controlled behavior
Hippocampal damage
animal models, MBD, 169
behavioral toxicology, 135
Hebb-Williams maze, 169
hyperactivity, 135
maze performance, 135, 169
minimal brain dysfunction (MBD), 169
perseveration, 169
trimethyltin, 169
trimethyltin chloride, 169
Hippocampal degeneration
hyperreactivity, 127
hypothermia, 127
morphological changes, 141
neurobehavioral toxicity, 127
seizures, 127
trimethyltin chloride, 141
trimethyltin syndrome, 127
Hippocampus
limbic system, 177
limbic system detection of neurotoxicity, 659
memory, spatial, 177
neurotoxicity, 659
neurotoxicology, 177
radial-arm maze, 177
somatosensory potentials, 659
trimethyltin, 659
trimethyltin chloride, 177
visual evoked potentials, 659
Hippocampus, mouse, 149
electron microscopy
neuropathology
trimethyltin chloride
Home orientation, 21
behavioral teratology
caffeine
neonatal rat
nipple attachment
suckling behavior
theophylline
Hormone
luteinizing hormone, 441
parathyroid hormone, 403
testosterone, 441
Housing conditions, 549
monosodium glutamate syndrome
neurobehavioral toxicology
Human studies
age differences, 709
auditory evoked potentials, 709
Bayley Infant Behavior Record, 473
Bayley Scales of Infant Development, 473
Brazelton Neonatal Behavioral Assessment Scale, 473
carbonmonoxide, 709
electroencephalogram, 767
hexacarbon, 623
labor and delivery, 447
marijuana, 447
memory, 709
methadone, 473
methyl-ethyl-ketone, 623
motor function, 473
multidimensional analysis, 473
neonatal behavior, 473
neurotoxicity, 623
organic solvents, 581
organophosphate neurotoxicity, 767
pregnancy, 447
psychological prognosis, 581
rhesus monkeys, 767
sarin, 767
sensorimotor functions, 581
sleep, 709
solvent intoxication, 581
Hyperactivity
animal models, 9
artificial food dyes, 43
behavioral toxicology, 9, 135
central nervous system, 43
development, 43
hippocampal damage, 135
hyperexcitability, 671
lead, 9
maze performance, 135
neurotoxicity, 671
pain thresholds, 671
sensorimotor function, 671
startle response, 671
sulfanilic acid, 43
Tartrazine, 43
triethyl lead chloride, 671
trimethyltin chloride, 135
Hyperexcitability, 671
hyperactivity
neurotoxicity
pain thresholds
sensorimotor function
startle response
triethyl lead chloride
Hyperexcitation, 753
mechanism of action
pyrethroid insecticides
repetitive discharge
sodium channel gating
Hyperglycemia, 801
brain blood flow
cismethrin
deltamethrin
electroencephalogram
glucose utilization
pyrethroid insecticides
Hyperreactivity, 127
hippocampal degeneration
hypothermia
neurobehavioral toxicity
seizures
trimethyltin syndrome
Hypervitaminosis A, 299
behavioral teratology
developmental toxicity
distress calls
ultrasonic vocalizations
Hypothermia
ambient temperature, 267
core temperature, 267
hippocampal degeneration, 127
hyperreactivity, 127
neurobehavioral toxicity, 127
seizures, 127
triethyltin, 267
trimethyltin syndrome, 127
visual evoked potential, 267
visual evoked response, 267
visual system toxicity, 267

Industrial solvents
behavioral teratology, 387, 395

drug interaction, 387, 395
ethanol, 387, 395
2-ethoxyethanol, 387, 395
fetal alcohol effects, 387
neurochemical effects, 395
neuromotor deficits, 387
neurotransmitter levels, 395
prenatal exposure, 395
Infants, monkey, 469
attention
marijuana
prenatal exposure
psychoactive drugs
Δ^9-tetrahydrocannabinol
vision
Inhalants
auditory evoked response, 79
brainstem, 79
compound action potential, 79
conditioned avoidance, 71
grip strength, 71
hexane, 71, 79, 87
2,5-hexanedione, 87
neurobehavioral toxicity, 71
neurobehavioral toxicology, 79
neuropathy, 87
scheduled exposure, 71, 87
solvent abuse, 71, 79, 87
undifferentiated motor activity, 71
ventral caudal nerve, 79
Inhalation exposure, 521
methyl bromide
monoamines
neurotransmitters
IQ, 729
attention
auditory-language function
children
classroom behavior
dentine concentrations
lead
low level exposure
Insecticide neurotoxicity
adenosine triphosphatase inhibition, 805
central nervous system, 813
chlorinated hydrocarbons, 805, 813
dieldrin, 813
lindane, 813
mode of action, 813
Insecticides, 347
convulsions
epilepsy
kindling, amygdaloid
lindane
neurotoxicity
Integrated EEG, 33
ethanol and brain amino acids
ethanol and diet
GABA
glutamate
glutamine
withdrawal
Intracellular recording, 255
electrophysiology
miniature endplate potential
neuromuscular neurotoxicity
resting membrane potential
soleus muscle, rat
triethyltin
Intragastric ethanol
CNS sensitivity, 477
neonatal exposure, 463
postnatal effects, 477
undernutrition, 463, 477
In utero studies, 15
acute prenatal alcohol
C3H mice
fetal body weight
In vitro studies, 629
n-hexane neuropathy
2,5-hexanedione
in vivo studies
molecular pathogenesis
In vivo studies
n-hexane neuropathy, 629
2,5-hexanedione, 629
in vitro studies, 629
isolated systems, 613
molecular pathogenesis, 629
neuromuscular toxicity, 597
neurotoxicological methods, 613
subcellular systems, 613
trialkyltin compounds, 597
Isolated systems, 613
in vivo studies
neurotoxicological methods
subcellular systems

Kainic acid, 573
folic acid derivatives
neurotoxicity
Kindling, amygdaloid
afterdischarge, 203
convulsions, 347
epilepsy, 347
insecticides, 347
kindling, hippocampal, 203
lindane, 347
neurotoxicity, 347
pentylenetetrazol, 203
seizures, 203
trimethyltin, 203
Kindling, hippocampal, 203
afterdischarge
kindling, amygdaloid
pentylenetetrazol
seizures
trimethyltin

Labor and delivery, 447
human studies
marijuana
pregnancy
Lactation, 495
body weight
maternal ethanol
pregnancy, rats
Lead
animal models, 9
attention, 729
auditory-language function, 729
behavioral toxicity, 689
behavioral toxicology, 9
biochemical measures, 739
brain neurochemistry, 635
children, 729, 739
cholinergic neuropharmacology, 689
classroom behavior, 729
dentine concentrations, 729
environmental exposure, 739
hemoglobin level, 721
hyperactivity, 9
IQ, 729
low level exposure, 729
muscarinic cholinergic receptor binding, 689
neonatal exposure, 689

neurological effects, 739
neurotoxicity, 689
occupational exposure, 721
porphyrin synthesis, 635
psychometric function, 739
scholastic performance, 739
sensorimotor conduction, 721
visual acuity, 689
Lead acetate
acetic acid, 105
activity, 105
behavioral toxicology, 311
body weight, 105
development, 311
learning, 311
Lead exposure
central nervous system, 733
central nervous system, adult human, 725
children, 733
follow-up studies, 725
neurophysiological tests, 725
neurotoxicity, 733
psychodiagnostic tests, 725
slow cortical potentials, 733
Learned tolerance, 335
active avoidance
organophosphate cholinesterase inhibitors
paraoxon
tolerance
Learning
behavioral toxicology, 185, 311
development, 311
lead acetate, 311
memory, 185
neonatal exposure, 185
radial-arm maze performance, 185
triethyltin sulfate, 185
trimethyltin hydroxide, 185
Learning deficits, 539
behavioral toxicology
organotins
Limbic system
hippocampus, 177
memory, 163
memory, spatial, 177
neurotoxicity, 163
neurotoxicology, 177
organotins, 163
passive avoidance, 163
radial-arm maze, 177
trimethyltin, 163
trimethyltin chloride, 177
Limbic system detection of neurotoxicity, 659
hippocampus
neurotoxicity
somatosensory potentials
trimethyltin
visual evoked potentials
Lindane
central nervous system, 813
chlorinated hydrocarbons, 813
convulsions, 347
dieldrin, 813
epilepsy, 347
insecticide neurotoxicity, 813
insecticides, 347
kindling, amygdaloid, 347
mode of action, 813
neurotoxicity, 347
Lithium chloride, 497
acrylamide
acute administration
conditioned taste aversion
Locomotor activity
acrylamide, 355
d-amphetamine, 63, 355
behavior, 247, 283
behavioral teratology, 63
cadmium, 283
caffeine sensitivity, 331
conditioned avoidance, 247
dietary aluminum, 403
discrimination learning, 283
dose-effect, 283
escape learning, 63
hindlimb splay, 355
neonatal rat, 331
operant behavior, 355
organotin, 247
parathyroid hormone, 403
pharmacological challenge, 63
postnatal exposure, 283
prenatal drugs, 63
prenatal exposure, 247
rat pups, 247
schedule-controlled behavior, 355
sex differences, 63
shuttle-box avoidance, 403
Y-maze performance, 63
Long-term exposure, 703
behavioral effects
organic solvents
paint industry
psychological tests
reaction time
Low level exposure, 729
attention
auditory-language function
children
classroom behvaior
dentine concentrations
IQ
lead
Luteinizing hormone, 441
heroin
psycho-sexual development
puberty, human male
testosterone

Malathion, 789
acetylcholinesterase inhibition
hens
neuropathy
triothotolyl phosphate
Manganese, 655
animal models
cell cultures
neurotoxicology
thiol content
tissue homogenates
Mannitol-gap technique, 605
abdominal ventral nerve, cockroach
axonal transmission
central nervous system
cockroach
neurotoxicity assessment
synaptic transmission
Marijuana
attention, 469
children, 451
drugs and development, 419
fetal alcohol syndrome, 419
hereditary mechanisms, 419
human studies, 447
infants, monkey, 469
labor and delivery, 447
methadone, 419
neonatal narcotic addiction, 419
neurobehavioral teratology, 451
perinatal exposure, 419

pregnancy, 447, 451
prenatal exposure, 469
psychoactive drugs, 469
Δ^9-tetrahydrocannabinol, 469
Maternal drug use, 421
caffeine
fetal effects
nicotine
Maternal ethanol, 495
body weight
lacatation
pregnancy, rats
Maximal electroshock seizure test, 273
α-adrenergic receptors
anticonvulsant effects
behavioral toxicology
bicuculline
GABA receptors
haloperidol
metergoline
picrotoxin
propranolol
reserpine
seizures
triethyltin
yohimbine
Maze performance
animal models, MBD, 169
behavioral toxicology, 135
Hebb-Williams maze, 169
hippocampal damage, 135, 169
hyperactivity, 135
minimal brain dysfunction (MBD), 169
perseveration, 169
trimethyltin, 169
trimethyltin chloride, 135
Mechanism of action, 753
hyperexcitation
pyrethroid insecticides
repetitive discharge
sodium channel gating
Memory
age differences, 709
auditory evoked potentials, 709
behavioral toxicology, 185
carbon monoxide, 709
human studies, 709
learning, 185
limbic system, 163
neonatal exposure, 185
neurotoxicity, 163
organotins, 163
passive avoidance, 163
radial-arm maze performance, 185
sleep, 709
triethyltin sulfate, 185
trimethyltin, 163
trimethyltin hydroxide, 185
Memory, spatial, 177
hippocampus
limbic system
neurotoxicology
radial-arm maze
trimethyltin chloride
Mercury, 717
chronic exposure
neurotoxicity
Metergoline, 273
α-adrenergic receptors
anticonvulsant effects
behavioral toxicology
bicuculline
GABA receptors
haloperidol
maximal electroshock seizure test
picrotoxin
propranolol
reserpine
seizures
triethyltin
yohimbine
Methadone
analgesia, 455
animal offspring, 429
Bayley Infant Behavior Record 473
Bayley Scales of Infant Development, 473
Brazelton Neonatal Behavioral Assessment Scale, 473
Brazelton Neonatal Behavioral Assessment Scale/Kansas Suppl. 459
children, 429
drugs and development, 419
fetal alcohol syndrome, 419
hereditary mechanisms, 419
heroin, 429
human studies, 473
marijuana, 419
motor function, 459, 473
multidimensional analysis, 459, 473
neonatal behavior, 459, 473
neonatal narcotic addiction, 419
neonatal narcotics abstinence syndrome, 459
opiates, 383
perinatal exposure, 419, 455
persistence, 383
pregnancy, 429
prenatal exposure, 383, 419
prolonged abstinence, 383
state function, 459
Method
electron microscopy, 149
in vivo studies, 613
isolated systems studies, 613
limbic system detection of neurotoxicity, 659
mannitol-gap technique, 605
multidimensional analysis, 459, 473, 483
quantification of neurobehavioral deficits, 567
subcellular systems studies, 613
Methyl bromide, 521
inhalation exposure
monoamines
neurotransmitters
Methyl-ethyl-ketone, 623
hexacarbon
human studies
neurotoxicity
Methyl mercury
activity, 371
behavior, 371, 377
behavioral toxicology, 683
development, 371, 377
neonate, rat, 371
operant behavior, 683
pigeon, 683
prenatal exposure, 377
psychotropics, 377
sensitivity, 377
Methylmercury intoxication, 643
anorexia
antidote preference
body weight
dimercaptosuccinic acid
Microcephaly
cholesterol, 315
DNA, 315
ethanol, 115, 315
neonatal alcohol exposure, 115
neonate, rat, 115, 315
protein, 315
tertiary butanol, 315
withdrawal, 115

Miniature endplate potential, 255
electrophysiology
intracellular recording
neuromuscular neurotoxicity
resting membrane potential
soleus muscle, rat
triethyltin
Minimal brain dysfunction (MBD), 169
animal models, MBD
Hebb-Williams maze
hippocampal damage
maze performance
perseveration
trimethyltin
Mode of action, 813
central nervous system
chlorinated hydrocarbons
dieldrin
insecticide neurotoxicity
lindane
Molecular pathogenesis, 629
n-hexane neuropathy
2,5-hexanedione
in vitro studies
in vivo studies
Monoamine release, 647
blood platelets
brain synaptosomes
heavy metals
monoamine uptake
Monoamine uptake, 647
blood platelets
brain synaptosomes
heavy metals
monoamine release
Monoamines, 521
inhalation exposure
methyl bromide
neurotransmitters
Monosidium glutamate syndrome, 549
housing conditions
neurobehavioral toxicology
Morphological changes
hepatoxicity, 209
hippocampal degeneration, 141
neurotoxicity, 209
organotins, 209
somatic changes, 209
tissue tin levels, 209
trimethyltin chloride, 141
Motor function
Bayley Infant Behavior Record, 473
Bayley Scales of Infant Development, 473
Brazelton Neonatal Behavioral Assessment Scale, 473
Brazelton Neonatal Behavioral Assessment Scale/Kansas Suppl., 459
human studies, 473
methadone, 459, 473
multidimensional analysis, 459, 473
neonatal behavior, 459, 473
neonatal narcotics abstinence syndrome, 459
state function, 459
Motor syndrome, 109
cerebellum
deltamethrin
cGMP levels
pyrethroid insecticides
Multidimensional analysis
Bayley Infant Behavior Record, 473
Bayley Scales of Infant Development, 473
Brazelton Neonatal Behavioral Assessment Scale, 473
Brazelton Neonatal Behavioral Assessment Scale/Kansas Suppl., 459
child development, 483
facet theory, 483
human studies, 473
methadone, 459, 473
motor function, 459, 473
neonatal behavior, 459, 473
neonatal narcotics abstinence syndrome, 459
state function, 459
toxins, 483
Multiple schedules, 51
carbon monoxide
operant behavior
schedules of reinforcement
Muscarinic cholinergic receptor binding, 689
behavioral toxicity
cholinergic neuropharmacology
lead
neonatal exposure
neurotoxicity
visual acuity
Mutagenesis, 531
active avoidance
behavioral anomalies
cyclophosphamide
paternal drug exposure

Neonate, rat
activity, 371
behavior, 371
behavioral teratology, 21
caffeine, 21, 331
cholesterol, 315
development, 371
DNA, 315
ethanol, 115, 315
home orientation, 21
locomotor activity, 331
methyl mercury, 371
microcephaly, 115, 315
neonatal alcohol exposure, 115
nipple attachment, 21
protein, 315
suckling behavior, 21
tertiary butanol, 315
theophylline, 21
withdrawal, 115
Neonatal alcohol exposure, 115
ethanol
microcephaly
neonate, rat
withdrawal
Neonatal behavior
Bayley Infant Behavior Record, 473
Bayley Scales of Infant Development, 473
Brazelton Neonatal Behavioral Assessment Scale, 473
Brazelton Neonatal Behavioral Assessment Scale/Kansas Suppl., 459
human studies, 473
methadone, 459, 473
motor function, 459, 473
multidimensional analysis, 459, 473
neonatal narcotics abstinence syndrome, 459
state function, 459
Neonatal exposure
apomorphine, 535
behavioral toxicity, 185, 689
cholinergic neuropharmacology, 689
climbing behavior, 535
dopamine receptors, 535
intragastric ethanol, 463
lead, 689
learning, 185
memory, 185
muscarinic cholinergic receptor binding, 689
neurotoxicity, 689
phenobarbital, 535
radial-arm maze performance, 185

striatum, 535
triethyltin sulfate, 185
trimethyltin hydroxide, 185
undernutrition, 463
visual acuity, 689
Neonatal narcotics abstinence syndrome, 459
Brazelton Neonatal Behavioral Assessment Scale/Kansas Suppl.
methadone
motor function
multidimensional analysis
neonatal behavior
state function
Neonatal narcotic addiction, 419
drugs and development
fetal alcohol syndrome
hereditary mechanisms
marijuana
methadone
perinatal exposure
prenatal exposure
Neurobehavioral deficits, 567
disease course
dying-back axonopathy
2,5-hexanedione
quantifying methods
Neurobehavioral teratology, 451
children
marijuana
pregnancy
Neurobehavioral toxicity
conditioned avoidance, 71
grip strength, 71
hexane, 71
hippocampal degeneration, 127
hyperreactivity, 127
hypothermia, 127
inhalants, 71
scheduled exposure, 71
seizures, 127
solvent abuse, 71
trimethyltin syndrome, 127
undifferentiated motor activity, 71
Neurobehavioral toxicology
auditory evoked response, 79
brainstem, 79
compound action potential, 79
hexane, 79
housing conditions, 549
inhalants, 79
monosodium glutamate syndrome, 549
solvent abuse, 79
ventral caudal nerve, 79
Neurochemical effects, 395
drug interactions
ethanol
2-ethoxyethanol
industrial solvents
neurotransmitter levels
prenatal exposure
Neurological effects, 739
biochemical measures
children
environmental exposure
lead
psychometric function
scholastic performance
Neurological testing, 749
pesticides
regulatory science
safety testing
Neuromotor deficits, 387
behavioral teratology
drug interaction
ethanol
2-ethoxyethanol
fetal alcohol effects
industrial solvents
Neuromotor development, 505
prenatal ethanol
reflex ontogeny
response inhibition
Neuromuscular junction, 251
acetylcholine
hemidiaphragm
neurotoxicity
phrenic nerve
trimethyltin
Neuromuscular neurotoxicity, 255
electrophysiology
intracellular recording
miniature end plate potential
resting membrane potential
soleus muscle, rat
triethyltin
Neuromuscular toxicity, 597
in vitro studies
trialkyltin compounds
Neuronal cell body, 493
neurotoxic injury
Neuropathology, 149
electron microscopy
hippocampus, mouse
trimethyltin chloride
Neuropathy
acetyl cholinesterase inhibition, 789
hens, 789
hexane, 87
2,5-hexanedione, 87
inhalants, 87
malathion, 789
neurotoxic esterase, 759
organophosphate, 759
scheduled exposure, 87
solvent abuse, 87
triothotolyl phosphate, 789
Neurophysiological tests, 725
central nervous system, adult human
follow-up studies
lead exposure
psychodiagnostic tests
Neurotoxic esterase, 759
neuropathy
organo phosphate
Neurotoxic injury, 493
neuronal cell body
Neurotoxicity
acetylcholine, 251
behavioral toxicity, 689
carbamate pesticides, 779
central nervous system, 73
children, 733
cholinergic neuropharmacology, 689
cholinesterase inhibition, 779
chronic exposure, 717
convulsions, 347
epilepsy, 347
folic acid derivatives, 573
hemidiaphragm, 251
hepatoxicity, 209
hexacarbon, 623
hippocampus, 659
human studies, 623
hyperactivity, 671
hyperexcitability, 671
insecticides, 347
kainic acid, 573
kindling, amygdaloid, 347
lead, 689
lead exposure, 733
limbic system, 163

limbic system detection of neurotoxicity, 659
lindane, 347
memory, 163
mercury, 717
methyl-ethyl-ketone, 623
morphological changes, 209
muscarinic cholinergic receptor binding, 689
neonatal exposure, 689
neuromuscular junction, 251
organotins, 163, 209
pain thresholds, 197, 671
passive avoidance, 163
peripheral nerve function, 197
phrenic nerve, 251
sensorimotor function, 671
slow cortical potentials, 733
somatic changes, 209
somatosensory evoked response, 197
somatosensory potentials, 659
startle response, 671
tissue tin levels, 209
triethyl lead chloride, 671
trimethyltin, 163, 197, 251, 659
visual acuity, 689
visual evoked potentials, 659
Neurotoxicity assessment, 605
abdominal ventral nerve, cockroach
axonal transmission
central nervous system
cockroach
mannitol-gap technique
synaptic transmission
Neurotoxicological methods, 613
in vivo studies
isolated systems
subcellular systems
Neurotoxicology
acrylamide, 617
animal models, 655
cell cultures, 655
cerebral hemispheres, 617
hippocampus, 177
limbic system, 177
manganese, 655
memory, spatial, 177
radial-arm maze, 177
thiol content, 655
tissue culture, 617
tissue homogenates, 655
trimethyltin chloride, 177
Neurotransmitters, 521
inhalation exposure
methyl bromide
monoamines
Neurotransmitter levels, 395
drug interactions
ethanol
2-ethoxyethanol
industrial solvents
neurochemical effects
prenatal exposure
Nicotine
avoidance conditioning, 545
brightness discrimination, 365
caffeine, 421
chronic maternal ethanol, 293
cigarette smoking, 545
drug interactions, 293
emotionality, 365
fetal effects, 421
guinea pigs, 365
maternal drug use, 421
offspring development, 293
operant behavior, 293
pregnant rats, 545
prenatal exposure, 365
prenatal exposure, rats, 545
response to novelty, 365
spontaneous alternation, 365
Nipple attachment, 21
behavioral teratology
caffeine
home orientation
neonatal rat
suckling behavior
theophylline
l-α-Noracetylmethadol, 323
behavioral teratology
detour performance
domestic fowl
early exposure
open field
opiates

Occupational exposure
hemoglobin level, 721
lead, 721
psychological tests, 695
reaction time, 695
sensorimotor conduction, 721
solvent mixtures, 695
toluene exposure, 695
Offspring development, 293
chronic maternal ethanol
drug interactions
nicotine
operant behavior
Offspring mortality, 501
fetal alcohol syndrome
gestation length
prenatal ethanol
Open field, 323
behavioral teratology
detour performance
domestic fowl
early exposure
l-α-noracetylmethadol
opiates
Operant behavior
acrylamide, 355
adjunctive behavior, 231
d-amphetamine, 355
behavioral toxicology, 683
carbon monoxide, 51
chronic maternal ethanol, 293
drug interactions, 293
hindlimb splay, 355
locomotor activity, 355
methyl mercury, 683
mutliple schedules, 51
nicotine, 293
offspring development, 293
pigeon, 683
schedule-controlled behavior, 355
scheduled reinforcement, 51, 231
triethyltin, 231
Opiates
behavioral teratology, 323
detour performance, 323
domestic fowl, 323
early expoure, 323
methadone, 383
l-α-noracetylmethadol, 323
open field, 323
persistence, 383
prenatal exposure, 383
prolonged abstinence, 383
Optic tract, 191
trimethyltin

visual cortex
visual evoked response
visual toxicity
Organic solvents
behavioral effects, 703
human studies, 581
long-term exposure, 703
paint industry, 703
psychological prognosis, 581
psychological tests, 703
reaction time, 703
sensorimotor functions, 581
solvent intoxication, 581
Organometallic polymer, 241
avoidance
behavioral toxicity
tributyltin
Organophosphate, 759
neurotoxic esterase
neuropathy
Organophosphate cholinesterase inhibitors, 335
active avoidance
learned tolerance
paraoxon
tolerance
Organophsophate neurotoxicity, 767
electroencephalogram
human studies
rhesus monkeys
sarin
Organophosphate pesticides, 665
central nervous system
cholinesterase levels
peripheral nervous system
Organotins
behavior, 247
behavioral toxicology, 539
conditioned avoidance, 247
hepatoxicity, 209
learning deficits, 539
limbic system, 163
locomotor activity, 247
memory, 163
morphological changes, 209
neurotoxicity, 163, 209
passive avoidance, 163
prenatal exposure, 247
rat pups, 247
somatic changes, 209
tissue tin levels, 209
trimethyltin, 163

Pain thresholds
hyperactivity, 671
hyperexcitability, 671
neurotoxicity, 197, 671
peripheral nerve function, 197
sensorimotor function, 671
somatosensory evoked response, 197
startle response, 671
triethyl lead chloride, 671
trimethyltin, 197
Paint industry, 703
behavioral effects
long-term exposure
organic solvents
psychological tests
reaction time
Paraoxon, 335
active avoidance
learned tolerance
organophosphate cholinesterase inhibitors
tolerance

Parathyroid hormone, 403
dietary aluminum
locomotor activity
shuttle-box avoidance
Passive avoidance, 163
limbic system
memory
neurotoxicity
organotins
trimethyltin
Paternal drug exposure, 531
active avoidance
behavioral anomalies
cyclophosphamide
mutagenesis
Pentylenetetrazol, 203
afterdischarge
kindling, amygdaloid
kindling, hippocampal
seizures
trimethyltin
Perinatal exposure
analgesia, 455
chlordiazepoxide, 279
drugs and development, 419
fetal alcohol syndrome, 419
hereditary mechanisms, 419
marijuana, 419
methadone, 419, 455
neonatal narcotic addiction, 419
postweaning behavior, rats, 279
prenatal exposure, 419
preweaning behavior, rats, 279
Peripheral nerve function, 197
neurotoxicity
pain threshold
somatosensory evoked response
trimethyltin
Peripheral nervous system, 665
central nervous system
cholinesterase levels
organophosphate pesticides, 665
Perseveration, 169
animal models, MBD
Hebb-Williams maze
hippocampal damage
maze performance
minimal brain dysfunction (MBD)
trimethyltin
Persistence, 383
methadone
opiates
prenatal exposure
prolonged abstinence
Pesticides, 749
neurological testing
regulatory science
safety testing
Pharmacological challenge, 63
d-amphetamine
behavioral teratology
escape learning
locomotor activity
prenatal drugs
sex differences
Y-maze performance
Phenobarbital, 535
apomorphine
climbing behavior
dopamine receptors
neonatal exposure
striatum
Phrenic nerve, 251
acetylcholine
hemidiaphragm

neuromuscular junction
neurotoxicity
trimethyltin
Physostigmine, 93
anticholinesterases
behavioral toxicity
conditioned flavor aversion
Picrotoxin, 273
α-adrenergic receptors
anticonvulsant effects
behavioral toxicology
bicuculline
GABA receptors
haloperidol
maximal electroshock seizure test
metergoline
propranolol
reserpine
seizures
triethyltin
yohimbine
Pigeon, 683
behavioral toxicology
methyl mercury
operant behavior
Pituitary-adrenal system, 515
plasma corticosterone
prenatal ethanol
stress
Plasma corticosterone, 515
pituitary-adrenal system
prenatal ethanol
stress
Porphyrin synthesis, 635
brain neurochemistry
lead
Postnatal effects, 477
CNS sensitivity
intragastric ethanol
undernutrition
Postnatal exposure, 283
behavior
cadmium
discrimination learning
dose-effect
locomotor activity
Postweaning behavior, rats, 279
chlordiazepoxide
perinatal exposure
preweaning behavior, rats
Prednisolone, 289
birth weight
eye-opening
gripping
prenatal exposure
walking
weaning weight
Pregnancy
animal offspring, 429
children, 429, 451
heroin, 429
human studies, 447
labor and delivery, 447
marijuana, 447, 451
methadone, 429
neurobehavioral teratology, 451
Pregnant, rats
avoidance conditioning, 545
body weight, 495
cigarette smoke, 545
lactation, 495
maternal ethanol, 495
nicotine, 545
prenatal exposure, rats, 545
Prenatal alcohol, 525
fetal alcohol syndrome
Sidman avoidance
unsignalled avoidance
Prenatal ethanol
fetal alcohol syndrome, 501
gestation length, 501
neuromotor development, 505
offspring mortality, 501
pituitary-adrenal system, 515
plasma corticosterone, 515
reflex ontogeny, 505
response inhibition, 505
stress, 515
Prenatal exposure
l-α-acetylmethadol, 557
d-amphetamine, 63
avoidance conditioning, 545
attention, 469
behavior, 247, 377
behavioral teratogenicity, 557
behavioral teratology, 63
birth weight, 289
brightness discrimination, 365
cigarette smoke, 545
conditioned avoidance, 247
development, 377
drug interactions, 395
drugs and development, 419
emotionality, 365
escape learning, 63
ethanol, 395
2-ethoxyethanol, 395
eye-opening, 289
fetal alcohol syndrome, 419
functional teratogenicity, 557
guinea pigs, 365
gripping, 289
hereditary mechanisms, 419
industrial solvents, 395
infants, monkey, 469
locomotor activity, 63, 247
marijuana, 419, 469
methadone, 383, 419
methyl mercury, 377
neonatal narcotic addiction, 419
neurochemical effects, 395
neurotransmitter levels, 395
nicotine, 365, 545
opiates, 383
organotin, 247
perinatal exposure, 419
persistence, 383
pharmacological challenge, 63
prednisolone, 289
pregnant rats, 545
prolonged abstinence, 383
psychoactive drugs, 469
psychotropics, 377
rat pups, 247
response to novelty, 365
sensitivity, 377
sex differences, 63
spontaneous alternation, 365
Δ^9-tetrahydrocannabinol, 469
vision, 469
walking, 289
weaning weight, 289
Y-maze performance, 63
Preweaning behavior, rats, 279
chlordiazepoxide
perinatal exposure
postweaning behavior, rats
Prolonged abstinence, 383
methadone

opiates
persistence
prenatal exposure
Propranolol, 273
α-adrenergic receptors
anticonvulsant effects
behavioral toxicology
bicuculline
GABA receptors
haloperidol
maximal electroshock seizure test
metergoline
picrotoxin
reserpine
seizures
triethyltin
yohimbine
Protein, 315
cholesterol
DNA
ethanol
microcephaly
neonate, rat
tertiary butanol
Psychoactive drugs, 469
attention
infants, monkey
marijuana
prenatal exposure
Δ^9-tetrahydrocannabinol
Psychodiagnostic tests, 725
central nervous system, adult human
follow-up studies
lead exposure
neurophysiological tests
Psychological prognosis, 581
human studies
organic solvents
sensorimotor functions
solvent intoxication
Psychological tests
behavioral effects, 703
long-term exposure, 703
occupational exposure, 695
organic solvents, 703
paint industry, 703
reaction time, 695, 703
solvent mixtures, 695
toluene exposure, 695
Psychometric function, 739
biochemical measures
children
environmental exposure
lead
neurological effects
scholastic performance
Psycho-sexual development, 441
heroin
luteinizing hormone
puberty, human male
testosterone
Psychotropics, 377
behavior
development
methyl mercury
prenatal exposure
sensitivity
Puberty, human male, 441
heroin
luteinizing hormone
psycho-sexual development
testosterone
Pyrethroid insecticides
brain blood flow, 801
cerebellum, 109
cGMP levels, 109
cismethrin, 801
deltamethrin, 109, 801
detoxification rates, 793
electroencephalogram, 801
glucose utilization, 801
hyperexcitation, 753
hyperglycemia, 801
mechanism of action, 753
motor syndrome, 109
repetitive discharge, 753
sodium channel gating, 753
species specificity, 793
structural modifications, 793

Quantifying methods, 567
disease course
dying-back axonopathy
2,5-hexanedione
neurobehavioral deficits

Radial-arm maze
behavioral toxicology, 185
hippocampus, 177
learning, 185
limbic system, 177
memory, 185
memory, spatial, 177
neonatal exposure, 185
neurotoxicology, 177
triethyltin sulfate, 185
trimethyltin chloride, 177
trimethyltin hydroxide, 185
Rat pups, 247
behavior
conditioned avoidance
locomotor activity
organotin
prenatal exposure
Reaction time
behavioral effects, 703
long-term exposure, 703
occupational exposure, 695
organic solvents, 703
paint industry, 703
psychological tests, 695, 703
solvent mixtures, 695
toiene exposure, 695
Reflex ontogeny, 505
neuromotor development
prenatal ethanol
response inhibition
Regulatory science, 749
neurological testing
pesticides
safety testing
Repetitive discharge, 753
hyperexcitation
mechanism of action
pyrethroid insecticides
sodium channel gating
Reserpine, 273
α-adrenergic receptors
anticonvulsant effects
behavioral toxicology
bicuculline
GABA receptors
haloperidol
maximal electroshock seizure test
metergoline
picrotoxin
propranolol
seizures

triethyltin
yohimbine
Response inhibition, 505
neuromotor development
prenatal ethanol
reflex ontogeny
Response to novelty, 365
brightness discrimination
emotionality
guinea pigs
nicotine
prenatal exposure
spontaneous alternation
Resting membrane potenital, 255
electrophysiology
intracellular recording
miniature endplate potential
neuromuscular neurotoxicity
soleus muscle, rat
triethyltin
Rhesus monkeys, 767
electroencephalogram
human studies
organophosphate neurotoxicity
sarin

Safety testing, 749
neurological testing
pesticides
regulatory science
Sarin, 767
electroencephalogram
human studies
organophosphate neurotoxicity
rhesus monkeys
Schedule-controlled behavior
acrylamide, 355
d-amphetamine, 355
behavioral toxicology, 157
hindlimb splay, 355
locomotor activity, 355
operant behavior, 355
spontaneous motor activity, 157
trimethyltin, 157
Scheduled exposure
conditioned avoidance, 71
grip strength, 71
hexane, 71, 87
2,5-hexanedione, 87
inhalants, 71, 87
neurobehavioral toxicity, 71
neuropathy, 87
solvent abuse, 71, 87
undifferentiated motor activity, 71
Scheduled reinforcement, 231
adjunctive behavior
operant behavior
triethyltin
Schedules of reinforcement, 51
carbon monoxide
multiple schedules
operant behavior
Scholastic performance, 739
biochemical measures
children
environmental exposure
lead
neurological effects
psychometric function
Seizures
α-adrenergic receptors
afterdischarge, 203
anticonvulsant effects, 273
behavioral toxicology, 273
bicuculline, 273
GABA receptors, 273
haloperidol, 273
hippocampal degeneration, 127
hyperreactivity, 127
hypothermia, 127
kindling, amygdaloid, 203
kindling, hippocampal, 203
maximum electroshock seizure test, 273
metergoline, 273
neurobehavioral toxicity, 127
pentylenetetrazol, 203
picrotoxin, 273
propranolol, 273
reserpine, 273
triethyltin, 273
trimethyltin, 203
trimethyltin syndrome, 127
yohimbine, 273
Sensitivity, 377
behavior
development
methyl mercury
prenatal exposure
psychotropics
Sensorimotor conduction, 721
hemoglobin level
lead
occupational exposure
Sensorimotor function
human studies, 581
hyperactivity, 671
hyperexcitability, 671
neurotoxicity, 671
organic solvents, 581
pain thresholds, 671
psychological prognosis, 581
solvent intoxication, 581
startle response, 671
triethyl lead chloride, 671
Sex differences, 63
d-amphetamine
behavioral teratology
escape learning
locomotor activity
pharmacological challenge
prenatal drugs
Y-maze performance
Shuttle-box avoidance, 403
dietary aluminum
locomotor activity
parathyroid hormone
Sidman avoidance, 525
fetal alcohol syndrome
prenatal alcohol
unsignalled avoidance
Sleep, 709
age differences
auditory evoked potentials
carbon monoxide
human studies
memory
Slow cortical potentials, 733
central nervous system
children
lead exposure
neurotoxicity
Sodium channel gating, 753
hyperexcitation
mechanism of action
pyrethroid insecticides
repetitive discharge
Soleus muscle, rat, 255
electrophysiology
intracellular recording

miniature endplate potential
neuromuscular neurotoxicity
resting membrane potential
triethyltin
Solvent abuse
auditory evoked response, 79
brainstem, 79
compound action potential, 79
conditioned avoidance, 71
grip strength, 71
hexane, 71, 79, 87
2,5-hexanedione, 87
inhalants, 71, 79, 87
neurobehavioral toxicity, 71
neurobehavioral toxicology, 79
neuropathy, 87
scheduled exposure, 21, 87
undifferentiated motor activity, 71
ventral caudal nerve, 79
Solvent intoxication, 581
human studies
organic solvents
psychological prognosis
sensorimotor functions
Solvent mixtures, 695
occupational exposure
psychological tests
reaction time
toluene exposure
Somatic changes, 209
hepatoxicity
morphological changes
neurotoxicity
organotins
tissue tin levels
Somatosensory evoked response, 197
neurotoxicity
pain threshold
peripheral nerve function
trimethyltin
Somatosensory potentials, 659
hippocampus
limbic system detection of neurotoxicity
neurotoxicity
trimethyltin
visual evoked potentials
Species specificity, 793
detoxification rates
pyrethroid insecticides
structural modifications
Spontaneous alternation, 365
brightness discrimination
emotionality
guinea pigs
nicotine
prenatal exposure
response to novelty
Spontaneous motor activity, 157
behavioral toxicology
schedule-controlled behavior
trimethyltin
Startle response, 671
hyperactivity
hyperexcitability
neurotoxicity
pain thresholds
sensorimotor function
triethyl lead chloride
State function, 459
Brazelton Neonatal Behavioral Assessment Scale/Kansas Suppl.
methadone
motor function
multidimensional analysis
neonatal behavior
neonatal narcotics abstinence syndrome
Stress, 515
pituitary-adrenal
plasma corticosterone
prenatal alcohol
Striatum, 535
apomorphine
climbing behavior
dopamine receptors
neonatal exposure
phenobarbital
Structural modifications, 793
detoxification rates
pyrethroid insecticides
species specificity
Subcellular systems, 613
in vivo studies
isolated systems
neurotoxicological methods
Suckling behavior, 21
behavioral teratology
caffeine
home orientation
neonatal rat
nipple attachment
theophylline
Sulfanilic acid, 43
artificial food dyes
central nervous system
development
hyperactivity
Tartrazine
Synaptic transmission, 605
abdominal ventral nerve, cockroach
axonal transmission
central nervous system
cockroach
mannitol-gap technique
neurotoxicity assessment

Tartrazine
atificial food dyes
central nervous system
development
hyperactivity
sulfanilic acid
Taste aversion, 305
choloroform
drinking
trichloromethane
Tertiary butanol, 315
cholesterol
DNA
ethanol
microcephaly
neonate, rat
protein
Testosterone, 441
heroin
luteinizing hormone
psycho-sexual development
puberty, human male
Δ^9-Tetrahydrocannabinol, 469
attention
infants, monkey
marijuana
prenatal exposure
psychoactive drugs
Theophylline, 21
behavioral teratology
caffeine
home orientation
neonatal rat
nipple attachment
suckling behavior

Thiol content, 655
  animal models
  cell cultures
  manganese
  neurotoxicology
  tissue homogenates
Tissue culture, 617
  akrylamide
  cerebral hemispheres
  neurotoxicology
Tissue homogenates, 655
  animal models
  cell cultures
  manganese
  neurotoxicology
  thiol content
Tissue tin levels, 209
  hepatoxicity
  morphological changes
  neurotoxicity
  organotins
  somatic changes
Tolerance, 335
  active avoidance
  learned tolerance
  organophosphate cholinesterase inhibitors
  paraoxon
Toluene exposure, 695
  occupational exposure
  psychological tests
  reaction time
  solvent mixtures
Toxins, 483
  child development
  facet theory
  multidimensional analysis
Transgenerational effects, 435
Trialkyltin compounds, 597
  in vitro studies
  neuromuscular toxicity
Tributyltin, 241
  avoidance
  behavioral toxicity
  organometallic polymer
Trichloromethane, 305
  chloroform
  drinking
  taste aversion
Triethyl lead chloride, 671
  hyperactivity
  hyperexcitability
  neurotoxicity
  pain thresholds
  sensorimotor function
  startle response
Triethyltin
  adjunctive behavior, 231
  α-adrenergic receptors, 273
  afterdischarge, 259
  ambient temperature, 267
  anticonvulsant effects, 273
  behavioral toxicology, 217, 273
  bicuculline, 273
  body weight, 217
  conditioned taste aversion, 225
  core temperature, 267
  drinking, 217
  eating, 217
  electrophysiology, 255
  GABA receptors, 273
  haloperidol, 273
  hypothermia, 267
  intracellular recording, 255
  maximal electroshock seizure test, 273
  metergoline, 273
  miniature endplate potential, 255
  neuromuscular neurotoxicity, 255
  operant behavior, 231
  picrotoxin, 273
  propranolol, 273
  reserpine, 273
  resting membrane potential, 255
  scheduled reinforcement, 231
  seizures, 273
  soleus muscle, rat, 255
  trimethyltin, 225
  visual evoked potential, 259, 267
  visual evoked response, 259, 267
  visual system toxicity, 259, 267
  yohimbine, 273
Treithyltin sulfate, 185
  behvioral toxicology
  learning
  memory
  neonatal exposure
  radial-arm maze performance
  trimethyltin hydroxide
Trimethyltin
  acetylcholine, 251
  afterdischarge, 203
  animal models, MBD, 169
  behavioral toxicology, 157
  conditioned taste aversion, 225
  Hebb-Williams maze, 169
  hemidiaphragm, 251
  hippocampal damage, 169
  hippocampus, 659
  kindling, amygdaloid, 203
  kindling, hippocampal, 203
  limbic system, 163
  limbic system detection of neurotoxicity, 659
  maze performance, 169
  memory, 163
  minimal brain dysfunction (MBD), 169
  neurotoxicity, 163, 197, 659
  neuromuscular junction, 251
  neurotoxicity, 251
  optic tract, 191
  organotins, 163
  pain threshold, 197
  passive avoidance, 163
  pentylenetetrazol, 203
  peripheral nerve function, 197
  perseveration, 169
  phrenic nerve, 251
  schedule-controlled behavior, 157
  seizures, 203
  somatosensory evoked potentials, 197
  somatosensory potentials, 659
  spontaneous motor activity, 157
  triethyltin, 225
  visual cortex, 191
  visual evoked potentials, 659
  visual evoked response, 191
  visual toxicity, 191
Trimethyltin chloride
  behaviora toxicology, 135
  electron microscopy, 149
  hippocampal damage, 135
  hippocampal degeneration, 141
  hippocampus, 177
  hippocampus, mouse, 149
  hyperactivity, 135
  limbic system, 177
  maze performance, 135
  memory, spatial, 177
  morphological changes, 141
  neuropathology, 149
  neurotoxicology, 177
  radial-arm maze, 177

Trimethyltin hydroxide, 185
behavioral toxicology
learning
memory
neonatal exposure
raidal-arm maze performance
triethyltin sulfate
Trimethyltin syndrome, 127
hippocampal degeneration
hyperreactivity
hypothermia
neurobehavioral toxicity
seizures
Triothotolyl phosphate, 789
acetylcholinesterase inhibition
hens
malathion
neuropathy

Ultrasonic vocalizations, 299
behavioral teratology
developmental toxicity
distress calls
hypervitaminosis A
Ultrastructure studies, 651
glial cells
heavy metal intoxication
vascular effects
Undernutrition
CNS sensitivity, 477
intragastric ethanol, 463, 477
neonatal exposure, 463
postnatal effects, 477
Undifferentiated motor activity, 71
conditoned avoidance
grip strength
hexane
inhalants
neurobehavioral toxicity
scheduled exposure
solvent abuse
Unsignalled avoidance, 525
fetal alcohol syndrome
prenatal alcohol
Sidman avoidance

Vascular effects, 651
glial cells
heavy metal intoxication
ultrastructure studies
Ventral caudal nerve, 79
auditory evoked response
brainstem
compound action potential
hexane
inhalants
neurobehavioral toxicology
solvent abuse
Vision, 469
attention
infants, monkey
marijuana
prenatal exposure
psychoactive drugs
Δ^9-tetrahydrocannabinol
Visual acuity, 689
behavioral toxicity
cholinergic neuropharmacology
lead
muscarinic cholinergic receptor binding
neonatal exposure
neurotoxicity

Visual cortex, 191
optic tract
trimethyltin
visual evoked response
visual toxicity
Visual evoked potentials
afterdischarge, 259
ambient temperature, 267
core temperature, 267
hippocampus, 659
hypothermia, 267
limbic system detection of neurotoxicity, 659
neurotoxicity, 659
somatosensory potentials, 659
triethyltin, 259, 267
trimethyltin, 659
visual evoked response, 259, 267
visual system toxicity, 259, 267
Visual evoked response
afterdischarge, 259
ambient temperature, 267
core temperature; 267
hypothermia, 267
optic tract, 267
triethyltin, 259, 267
trimethyltin, 267
visual cortex, 267
visual evoked potenital, 259, 267
visual system toxicity, 259, 267
visual toxicity, 267
Visual system toxicity
afterdischarge, 259
ambient temperature, 267
core temperature, 267
hypothermia, 267
optic tract, 191
triethyltin, 259, 267
trimethyltin, 191
visual cortex, 191
visual evoked potential, 259, 267
visual evoked response, 191, 259, 267

Walking, 289
birth weight
eye-opening
gripping
prednisolone
prenatal exposure
weaning weight
Weaning weight, 289
birth weight
eye-opening
gripping
prednisolone
prenatal exposure
walking
Withdrawal
ethanol, 115
ethanol and brain amino acids, 33
ethanol and diet, 33
GABA, 33
glutamate, 33
glutamine, 33
integrated EEG, 33
microcephaly, 115
neonatal alcohol exposure, 115
neonate, rat, 115

Y-maze performance, 63
d-amphetamine
behavioral teratology
escape learning
locomotor activity

pharmacological challenge
prenatal drugs
sex differences
Yohimbine, 273
α-adrenergic receptors
anticonvulsant effects
behavioral toxicology
bicuculline
GABA receptors
haloperidol
maximal electroshock seizure test
metergoline
picrotoxin
propranolol
reserpine
seizures
triethyltin

AUTHOR INDEX

ABEL, E. L., 3
ADAMS, J., 63, 299
ADAMS, P. M., 279, 531
ALBERTSON, T. E., 347
ALDRIDGE, W. N., 109
ALTENKIRCH, H., 623
AMORICO, L., 335
ANDERSON, C. E., 497
ANNAU, Z., 371, 377, 589
ANSHELM OLSON, B., 703
ANTHONY, D. C., 629
ANTTI-POIKA, M., 581
ATOR, N. A., 51

BALSTER, R. L., 305
BARNHART, J. E., 549
BARONE, F. C., 217, 231
BARRETT, J., 105
BARTON, C., 733
BATTER, D. K., 43
BECKER, R. F., 365
BELLIN, S. I., 33
BENIGNUS, V., 733
BERCEGEAY, M., 127
BERNARDI, M., 545
BERTOLINI, A., 545
BIERKAMPER, G. G., 251, 255, 597
BIGNAMI, G., 335
BINGHAM, L. R., 71, 87
BODNARENKO, S. R., 383
BOEKELHEIDE, K., 629
BOND, N. W., 501
BORNSCHEIN, R. L., 355
BOSTOCK, E., 163
BRIGHTWELL, W. S., 387, 395
BRODIE, M. E., 109
BROWN, N., 447
BRUBAKER, C. M., 311
BUELKE-SAM, J., 63
BULL, R. J., 311, 539
BURCH, L. S., 241
BURCHFIEL, J. L., 767
BURNE, T. A., 671
BURRIGHT, R. G., 9
BUSHNELL, I. W. R., 739

CALMES, H., 463, 477
CAMPBELL, J. H., 435
CARUSO, V., 355
CASIDA, J. E., 793
CHAMBERS, P. L., 605
CHANG, L. W., 149, 157
CHAO, S., 293
CHAPMAN, L. F., 469
CHEN, J-S, 99
COGGAN, S., 115
COLBERN, D., 477
COMMISSARIS, R. L., 403
CORBITT, S., 463, 477
CORDON, J. J., 403
COSTA, L. G., 689
COYLE, J. T., 573
CROFTON, K. M., 311
CSICSAKY, M., 651
CURLEY, M. D., 241

DAY, R., 739
DE ACETIS, L., 335
DEHAVEN, D. L., 217, 231
DE REYNERS, E. G., 651
DESHIELDS, T. L., 141
DICKINSON, J., 71
DONOVICK, P. J., 9
DRISCOLL, C. D., 99
DUFFY, F. H., 767
DYER, R. S., 127, 135, 141, 163, 177, 191, 197, 203, 259, 267, 659

ECCLES, C. U., 371, 377
ECKERMAN, D. A., 185
EDMONDS, H. L., JR., 33
EHRICH, M., 789
ERIKSSON, H., 655
EVANS, H. L., 683
EVANS, S. M., 217, 231

FABRICANT, J. D., 531
FEIGENBAUM, J. J., 535
FERKANY, J. W., 573
FERNANDEZ, K., 495
FISHMAN, R. H. B., 535
FOX, D. A., 273, 689
FRIED, P. A., 451
FYFE, W. M., 739

GALLAGHER, M., 163
GALLO, P. V., 505, 515
GANDELMAN, R., 289
GARBER, B., 283
GENEDANI, S., 545
GIARDINI, V., 335
GLICKMAN, A. H., 793
GOLDBERG, A., 739
GOLDENRING, J. R., 43
GOLDSMITH, A. A., 15
GOLUB, M. S., 469
GONDA, Z., 247
GRAHAM, D. G., 629
GRANT, K. A., 115, 315
GRANT, L. D., 185
GREENLAND, S., 447
GROLL-KNAPP, E., 709
GROSS, S. J., 447
GROSS, W. B., 789
GUERRIERO, L. A., 289

HABERMANN, E., 613
HÄGGBLAD, J., 655
HAIDER, M., 709
HÄNNINEN, H., 725
HANS, S. L., 459, 473, 483
HASEGAWA, H., 521
HEILBRONN, E., 655
HEPLER, J., 169
HERNBERG, S., 721, 725
HOLAHAN, W., 169
HOLLOWAY, W. R., JR., 21, 331
HONMA, T., 521
HOOISMA, J., 617
HORKAY, F., 247
HOUGHTON, P. W., 79
HOWD, R. A., 71, 79, 87
HOWELL, W. E., 191, 197, 259, 267
HUTCHINGS, D. E., 1, 383, 429
HUTCHISON, S., 93
HYYTIÄINEN, A., 581

IREGREN, A., 695

JENKNER, H., 709
JEREMY, R. J., 459, 473
JOHNS, J. M., 365
JOHNSON, M. K., 759
JOY, R. M., 347, 813

KALLMAN, M. J., 305
KEISER, J., 403
KIMMEL, C. A., 63
KING, S. E., 169
KISS, A., 247
KOMULAINEN, H., 647
KRIGMAN, M. R., 185, 209
KURLANSIK, L., 241
KUWAHARA, M. D., 323

LABORDE, J. B., 63
LAMON, J. M., 635
LANDAUER, M. R., 305
LATIES, V. G., 683
LEGATOR, M. S., 531
LEHOTZKY, K., 247, 665
LEICACH, L. L., 383
LEVERENZ, H. A., 169
LEVITT, M., 383
LICHTBLAU, L., 557
LIEBICH, H., 709
LINDSTRÖM, K., 581
LIVESEY, P. J., 105
LOCHRY, E. A., 15
LOUIS, T. M., 365
LYNCH, M. R., 305

MCLAMB, R. L., 671
MCLAUGHLIN, P. J., 455
MCMILLAN, D. E., 149, 157
MACPHAIL, R. C., 225
MACTUTUS, C. F., 671

MAGOS, L., 643
MAILMAN, R. B., 209
MAISIN, J. R., 651
MANTERE, P., 725
MARCUS, J., 459, 473, 483
MARTIN, D. C., 293
MARTIN, J. C., 293, 421
MAYOR, G. H., 403
MEANS, L. W., 365
MELLO, N. K., 441
MENDELSON, J. H., 441
MENEGUZ, A., 335
MILLER, D. B., 177, 185, 779
MILLER, P. A., 169
MILLINGTON, W. R., 255
MITCHELL, C. L., 497
MIYAGAWA, M., 521
MOORE, M. R., 739
MULLER, K., 733
MUSHAK, P., 209
MYERS, R. D., 169

NARAHASHI, T., 753
NEEDLEMAN, H. L., 729
NELSON, B. K., 387, 395
NEUBERGER, M., 709
NEUGUT, R. H., 593
NOLAND, E. A., 311, 539

O'DONOHUE, T. L., 395
OTTO, D., 733
PARKER, L. A., 93
PIHL, R. O., 283
PIZZI, W. J., 549
PLONSKY, M., 525
PRAH, J., 733
PRYOR, G. T., 71, 79, 87

RAFALES, L. S., 355
RANDALL, C. L., 15
RAY, D. E., 801
REBERT, C. S., 71, 79, 87
RECH, R. H., 403
REITER, L. W., 135, 745
REYNERS, H., 651
RILEY, A. L., 93
RILEY, E. P., 99, 525
ROSELLINI, R. A., 525
ROWAN, M. J., 605
RUPPERT, P. H., 135
RUSSELL, R. W., 5

SACHS, V. M., 115
SAMSON, H. H., 115, 315
SASSENRATH, E. N., 469
SATO, M., 521
SCHALLER, K.-H., 717
SCHROEDER, S., 733
SEIPLE, K., 733
SEPPÄLÄINEN, A. M., 721
SETZER, J. V., 387, 395
SHANKLAND, D. L., 805
SHAYWITZ, B. A., 43
SHEPPARD, R. C., 567
SHORES, P., 293
SILBERGELD, E. K., 635
SINGER, G., 5
SLEVIN, J. T., 573
SMITH, M. J., 283
SONDEREGGER, T. B., 419, 463, 477
SPARBER, S. B., 323, 557
SPRAGUE, S., 403
STAISCH, K. J., 447
STARK, L. G., 347
STEEGER, T. M., 87
STEPPAT, R., 623
STERMAN, A. B., 493, 567
STOLTENBURG-DIDINGER, G., 623
SUDO, A., 521
SUTKER, P. B., 15
SWARTZWELDER, H. S., 169
SYLVESTER, D. M., 33
SYTINSKY, I. A., 33
SZEBERENYI, J. M., 247

TACHIBANA, T., 117
TAYLOR, D. H., 311, 539
THOR, D. H., 331
TIEMEYER, T. M., 149
TILSON, H. A., 497, 671
TOLA, S., 581
TRIEBIG, G., 717
TRIMMEL, M., 709
TUOMISTO, J., 647

VALDES, J. J., 251
VORHEES, C. V., 495

WAGNER, H. M., 623
WALSH, J. M., 241
WALSH, T. J., 127, 135, 163, 177, 197, 203
WAYNER, M. J., 217, 231
WEINBERG, J., 505, 515
WENGER, G. R., 149, 157
WINNEKE, G., 651
WONDERLIN, W. F., 127, 141, 191, 203
WRIGHT, A. A., 689

YANAI, J., 535
ZACZEK, R., 573
ZAGON, I. S., 455
ZENDZIAN, R. P., 749
ZIMERING, R. T., 9
ZIMMERMANN, E. G., 419, 435, 463, 477